


RSO Tahoe

Sample ID: 1901CSALA0020.0070
 Strain: RSO Tahoe
 Matrix: Concentrates & Extracts
 Type: Other
 Sample Size: 1 units; Batch: 0 units

Produced: N/A
 Collected: 01/03/2019
 Received: 01/03/2019
 Completed: 01/07/2019
 Batch#:

Client
Ricksimpsonoil California
 Lic. #
 Murrieta, CA 92562



Cannabinoids

Complete

Analyte	LOD	LOQ	Mass	Mass
	%	%	%	mg/g
Testing method: HPLC-SOP 101				
THCa	0.0000	0.0001	ND	ND
Δ 9-THC	0.0000	0.0001	76.4220	764.220
Δ 8-THC	0.0001	0.0002	ND	ND
THCV	0.0001	0.0002	0.7220	7.220
CBDa	0.0000	0.0001	ND	ND
CBD	0.0000	0.0001	0.2970	2.970
CBDV	0.0001	0.0002	ND	ND
CBN	0.0000	0.0001	0.5750	5.750
CBGa	0.0001	0.0002	ND	ND
CBG	0.0001	0.0002	1.8030	18.030
CBC	0.0000	0.0001	1.1650	11.650
Total			80.9840	809.840

 $Total\ THC = THCa * 0.877 + d9-THC$
 $Total\ CBD = CBDa * 0.877 + CBD$

LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected. The reported result is based on a sample weight with the applicable moisture content for that sample;


 ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



 Iniobong Afia
 Executive Lab Director
 01/07/2019

 Confident Cannabis
 All Rights Reserved
 support@confidentcannabis.com
 (866) 506-5866
 www.confidentcannabis.com


RSO Tahoe

Sample ID: 1901CSALA0020.0070
Strain: RSO Tahoe
Matrix: Concentrates & Extracts
Type: Other
Sample Size: 1 units; Batch: 0 units

Produced: N/A
Collected: 01/03/2019
Received: 01/03/2019
Completed: 01/07/2019
Batch#:

Client:
Ricksimpsonoil California
Lic. #
 Murrieta, CA 92562

Residual Solvents

	Analyte	LOD	LOQ	Limit	Mass	Status
Testing method: HSGCMS-SOP 202		PPM	PPM	PPM	PPM	
	1,2-Dichloro-Ethane	0.100	30.000	0.100	ND	Pass
	Acetone	3.800	250.000	3100.000	ND	Pass
	Acetonitrile	0.500	1.000	6.000	ND	Pass
	Benzene	0.000	12.000	0.000	ND	Pass
	Butane	0.800	2500.000	5000.000	ND	Pass
	Chloroform	0.100	360.000	0.100	ND	Pass
	Ethanol	3.800	2500.000	5000.000	ND	Pass
	Ethyl-Acetate	3.800	2500.000	5000.000	ND	Pass
	Ethyl-Ether	3.400	2500.000	5000.000	ND	Pass
	Ethylene Oxide	0.200	300.000	0.200	ND	Pass
	Heptane	4.500	2500.000	5000.000	ND	Pass
	Isopropanol	4.600	100.000	320.000	ND	Pass
	Methanol	5.300	200.000	400.000	ND	Pass
	Methylene-Chloride	0.900	2500.000	0.900	ND	Pass
	n-Hexane	0.400	70.000	290.000	ND	Pass
	Pentane	3.900	2500.000	5000.000	ND	Pass
	Propane	0.300	2500.000	5000.000	ND	Pass
	Toluene	1.700	30.000	30.000	ND	Pass
	Trichloroethene	0.100	480.000	0.100	ND	Pass
	Xylenes	2.400	10.000	10.000	ND	Pass

Date Tested: 01/04/2019
 LOQ = Limit of Quantitation; LOD = Limit of Detection; NT = Not Tested; ND = Not Detected.



ISO / IEC 17025:2017 ACCREDITED LABORATORY
 Accreditation No. 73653



Iniobong Afia
 Executive Lab Director
 01/07/2019

Confident Cannabis
 All Rights Reserved
support@confidentcannabis.com
 (866) 506-5866
www.confidentcannabis.com

